## **Test Problem for IWPCTM 11**

## Test problem 1: Single mode Rayleigh-Taylor with constant acceleration (gravity) in planar 3D geometry

Atwood number  $A \le 0.25$ 

Constant gravity = g in z direction

Choose values so flow is nearly incompressible

Perfect gas law: gamma = 5/3

Use equilibrium similar to Physics of Fluids 16, 1668 (2004)

Initial perturbation (at z = 0)

$$h_o/\lambda = 0.01*[\cos(k x) + \cos(k y)]$$

Wavelength:  $\lambda = 2\pi/k$ 

Zone configuration (scaled to  $\lambda$ )

Domain:  $0 \le x \le 1, 0 \le y \le 1, -4 \le z \le 4$ 

Minimum zoning: 32 in x, 32 in y, 256 in z

Periodic boundary conditions in x and y

Plot scaled velocity  $V_{scl}$  vs. scaled amplitude h /  $\lambda$ 

Velocity scaled to  $\sqrt{Ag\lambda/(1+A)}$ 

Domain:  $0 \le h/\lambda \le 3$  and  $0 \le V_{scl} \le 1$ 

One plot for BUBBLE and another for SPIKE

Picture of rollups

See Ramaprabhu, et al, Phys Rev E 74, 66308 (2006)

Results offered in text file for comparison